

CERTIFICATE OF TYPE APPROVAL

This is to certify that

The product detailed below will be accepted for compliance with the applicable Lloyd's Register Rules and Regulations and with the International Convention for the Safety of Life at Sea, (SOLAS), 1974, as amended, for use on ships and offshore installations classed with Lloyd's Register, and for use on ships and offshore installations when authorised by contracting governments to issue the relevant certificates, licences, permits etc.

Manufacturer	Daniamant Limited
Address	Unit 3, Admiral Park Airport Service Road Portsmouth Hampshire, PO3 5RQ United Kingdom (UK)
Product Type	LIFEBUOY LIGHTS
Product Description	Self-igniting position-indicating lifebuoy light for use with both throw-over and quick release lifebuoys. Type: "Daniamant L40 Aqualite"
Specified Standards	IMO Resolution MSC.81(70) Part 1.

The attached Design Appraisal Document forms part of this certificate.
This certificate remains valid unless cancelled or revoked, provided the conditions in the attached Design Appraisal Document are complied with and the equipment remains satisfactory in service.

Date of issue 17 April 2008

Expiry date 16 April 2013

Certificate No. SAS S080034

Signed



Sheet No 1 of 3

Name

K. Gupta
Surveyor to Lloyd's Register EMEA
A Member of the Lloyd's Register Group

Note:

This certificate is not valid for equipment, the design or manufacture of which has been varied or modified from the specimen tested. The manufacturer should notify Lloyd's Register of any modification or changes to the equipment in order to obtain a valid certificate.

"Lloyd's Register, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register Group'. The Lloyd's Register Group assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register Group entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract."

DESIGN APPRAISAL DOCUMENT

Date 17 April 2008	Quote this reference on all future communications LDSS/PAS/LSA/PG/1-19960213
-----------------------	---

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS S080034

The undernoted documents have been appraised for compliance with the relevant requirements of International Conventions, and this Design Appraisal Document forms part of the Certificate.

EXAMINED DOCUMENTATION

<u>Plan/Doc No.</u>	<u>Rev</u>	<u>Plan Date</u>	<u>Title or Description</u>
662-SPN-0001	5	26.08.05	Specification L40 Aqualite
L164	15	24.12.02	L40 Aqualite & Mk2 container assembly
64-7005D	6	25.01.07	L40 Type Approval label
64-7004D	2	22.06.06	L40 Container label
64-7001	8	-	Installation and Maintenance Instructions

TEST REPORTS

Report Title or Report Author

Daniamant Limited Test Reports:-

Witnessed by UK Dept. of Transport and/or
 other Notified Body or Authority acceptable to LR

Report No.

Date

TM-16-86	07 Aug 1986
M2-1997	27 Feb 1997
TM-22-99	28 Jul 1999
TM-23-99	28 Jul 1999

Notes:

- Self-igniting lifebuoy light L40 Aqualite is supplied complete with holder and fitted with terminals for testing both lamp and battery.
- Maximum stowage height = 36 metres.
- The battery/light unit must be replaced on or before the expiry date marked on its labels..

CONDITIONS OF CERTIFICATION

- Detailed fitting, maintenance and in service test instructions are to be provided to each purchaser of the subject lights.
- Production items are to be manufactured in accordance with a quality control procedure and records kept as required by MSC.81(70) Part 2, Paragraph 1.2.
- If the specified standards are amended during the validity of this certificate, this product type is to be re-approved prior to it being supplied to vessels to which the amended standards apply.
- Production items are to be manufactured in accordance with a quality control system which shall be maintained to ensure compliance with SOLAS Regulation III/5.

DESIGN APPRAISAL DOCUMENT

Date 17 April 2008	Quote this reference on all future communications LDSS/PAS/LSA/PG/1-19960213
-----------------------	---

ATTACHMENT TO CERTIFICATE OF TYPE APPROVAL No. SAS S080034

5. Production tests are to be conducted in accordance with the applicable requirements of IMO Resolution MSC.81(70), Part 2 and each item, batch, or lot be delivered with an LR Certificate of SOLAS Production Testing issued by the attending LR Surveyors following their witness of the tests. This does not preclude any further testing to additional requirements of the Marine Administration of the country where the ship is registered (i.e. the flag state) or those acting on behalf of that Administration.
6. Should a change of Place of Production from that stated below be required i.e. where the stages of manufacture/assembly/testing of this product take place, the new Place of Production is to be advised to us prior to the change taking place. This Certificate will require to be updated for Approval to be maintained.
7. For compliance with SOLAS Regulations III/35 and III/36 fully detailed Operations and Maintenance Manuals shall be supplied with each hook or hook system.

PLACE OF PRODUCTION

Daniamant Limited Unit 3, The Admiral Park Airport Service Road Hilsea Portsmouth Hants, PO3 5RQ United Kingdom	Daniamant ApS Industrivej 24 C 3550 Slangerup Denmark
---	--



Kapil Gupta
Surveyor
Product Approval Services
London Design Support Services
Lloyd's Register EMEA

Supplementary Type Approval Terms and Conditions

This certificate and Design Appraisal Document relates to type approval, it certifies that the prototype(s) of the product(s) referred to herein has/have been found to meet the applicable design criteria for the use specified herein, it does not mean or imply approval for any other use, nor approval of any products designed or manufactured otherwise than in strict conformity with the said prototype(s).